



ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

## ADDENDUM

**PROJECT:** Palmer Public Schools  
Classroom Additions 2014  
Palmer, Nebraska

### ADDENDUM NUMBER

AD-3

### ISSUED BY:

Leroy Svatora, Architect  
Jon Dalton, Electrical Engineer  
Bryce Johnson, Mechanical Engineer

**PROJECT #:** 14-0256

**DATE ISSUED:** Thursday, January 15, 2015

*This addendum is issued by the Architect to all known bidders before receipt of proposals, for the purpose of explaining, interpreting, or modifying the original plans and specifications. When enumerated by the bidder upon the proposal sheet, the information or instructions given hereon will be equally binding upon all parties as if included in the original plans and specifications.*  
**BIDDER MUST ENTER THE NUMBER OF THIS ADDENDUM ON HIS PROPOSAL SHEET**

### THE FOLLOWING ITEMS ARE APPLICABLE TO THE DRAWINGS:

#### AD-3, ITEM 1:

In reference to **Sheet A-601**, add Wall Partition Type Schedule. See attached Supplemental Drawing A-601.3. Refer also to Addendum No. 2, Item 19.

**END AD-3**

# PARTITION Type Schedule

TYPE	SUPPORT	FACING	THK.	HEIGHT	FIRE RATING	INSULAT.	SPECIAL REQ'TS	REMARKS
1	6" X 18 GA METAL STUDS AT 16" O.C.	ONE LAYER OF 5/8" GWB INT SIDE, 1/2" GLASS-MAT SHEATHING EXT TO DECK ABOVE	13 1/2"	TO ROOF DECK ABOVE	----	R=19	EXT WEATHER BARRIER	REFER TO WALL SECTION DETAILS AND ELEVATIONS FOR EXT FINISH MATERIAL
2	6" X 20 GA. METAL STUDS AT 16" O.C.	ONE LAYER OF 5/8" GWB EACH SIDE TO EXIST. ROOF INSUL ABOVE	7 1/4"	TO EXIST ROOF INSUL ABOVE	----	ACOUST BATT INSUL	----	REFER TO INT WALL ELEV'S AND ROOM FINISH SCHEDULE FOR EXTENT OF CERAMIC TILE WORK
3	3 5/8" X 20 GA. METAL STUDS AT 16" O.C.	ONE LAYER OF 5/8" GWB ON EACH SIDE TO ROOF INSUL ABOVE	4 7/8"	TO EXIST ROOF INSUL ABOVE		ACOUST BATT INSUL	----	1 HR RATING AT MECH ROOMS
4	3 5/8" X 20 GA. METAL STUDS AT 16" O.C.	ONE LAYER OF 5/8" CEMENT BD EACH SIDE FLR TO CLG AND 5/8" GYP BD ABOVE TO ROOF INSUL ABOVE	4 7/8"	TO EXIST ROOF INSUL ABOVE	----	ACOUST BATT INSUL	----	FULL HT CERAMIC TILE, SEE ROOM FINISH SCHEDULE
5	CMU AND BRICK VENEER TO MATCH EXISTING			INFILL WINDOW OPENING	----	----	----	TOOTH-IN MASONRY JAMB COURSING
6	6" X 18 GA METAL STUDS AT 16" O.C.	ONE LAYER OF 5/8" GWB INT SIDE, 1/2" GYP MAT SHEATHING EXT TO DECK ABOVE	13 1/2"	TO ROOF DECK ABOVE	----	R=19	----	REFER TO WALL SECTION DETAILS AND ELEVATIONS FOR EXT FINISH MATERIAL
7	2 1/2" X 20 GA METAL C-H STUDS AT 16" O.C.	TWO LAYERS OF 1/2" GWB ON EXPOSED SIDE AND 1 LAYER 1" TYPE X LINER PANEL ON CONCEALED SIDE TO ROOF DECK	3 1/2"	TO ROOF DECK ABOVE	2 HR UL R7094	----	----	
8	EXIST WOOD STUD WITH GYP BD	ATTACH ADDITIONAL LAYER OF 1/2" TYPE X GYP BD TO EACH SIDE OF EXIST WALL TO ROOF DECK		TO ROOF DECK ABOVE	2 HR UL U301			

Preliminary  
not for  
Construction

Client Information  
**Palmer Public Schools**  
 202 Commercial St.  
 Palmer, NE 68864

Project Information  
**Classroom Addition**

Issue Date	Jan. 15, 2015
Job #	14-0256
Drawn by:	...
CADD file:	G-000

Drawing Title  
 Wall Partition Type Schedule

From Sheet:	A-601	for CA use:
Drawing #	A-601.3	