

ADDENDUM NO. CC-2

RAYMOND CENTRAL PUBLIC SCHOOLS
RAYMOND CENTRAL JR. & SR. HIGH SCHOOL ADDITION
RAYMOND, NEBRASKA
DLR GROUP PROJECT NO. 10-16113-00

6457 Frances Street, Suite 200
Omaha, NE 68106
tel 402/393-4100
fax 402/393-8747
omaha@dlrgroup.com
www.dlrgroup.com

COMBINED CONTRACT

August 19, 2016

NOTICE TO BIDDERS: Amend the Project Manual to the above referenced project as follows:

PROJECT MANUAL

ITEM NO. 1 SECTION 000110 TABLE OF CONTENTS

- A. Division 07 – Thermal and Moisture Protection. Delete “Section 079513.13 Interior Expansion Joint Cover Assemblies.”
- B. Division 08 – Openings. Delete “Section 083113 Access Doors and Frames.”

ITEM NO. 2 SECTION 061600 SHEATHING

- A. Article 2.4 Add the following:

“C. Insulation installed over metal deck shall meet UL 580 Class 90 wind-uplift resistance construction system as specified in Section 133419 “Metal Building Systems.”

- B. Paragraph 2.4.A. Add the following:

“5. Optional Face Layer on Insulation: 5/8 inch CDX plywood.

- C. Subparagraph 2.4.A.1. Add the following:

“d. Wisconsin-Phoenix LLC.”

- D. Subparagraph 3.2.B.2.a. Delete in its entirety and substitute the following:

“a. Screw to metal deck. Fasten insulation according to most stringent requirements in FM Approvals' "RoofNav" or UL 580 Class 90 Construction No. for specified Windstorm Resistance Classification. Fasten insulation to resist uplift pressure at corners, perimeter, and field of roof.”

ITEM NO. 3 DIVISION 07 THERMAL AND MOISTURE PROTECTION

- A. Delete Section 079513.13 Interior Expansion Joint Cover Assemblies in its entirety.

ITEM NO. 4 DIVISION 08 OPENINGS

- A. Delete Section 083113 Access Doors and Frames in its entirety.

ITEM NO. 5 SECTION 083213 SLIDING ALUMINUM-FRAMED GLASS DOORS

A. Paragraph 2.1.A. Add the following:

“3. Manko; 175 Series Mall Sliders.”

ITEM NO. 6 SECTION 084113 ALUMINUM-FRAMED ENTRANCES AND STOREFRONT

A. Subparagraph 2.2.B.2. Delete in its entirety and substitute the following:

“2. Exterior Framing for Entrances, Storefront and Windows: Series 433 2-inch sightline by 4-1/2-inch deep Thermal Triple Set Storefront Framing with DuraStile Frames at entrance frames only.”

B. Subparagraph 2.3.A.3. Delete “Center” and substitute “Front.”

ITEM NO. 7 SECTION 123210 EDUCATIONAL CASEWORK

A. Paragraph 2.1.C. Add the following:

“5. Jans Corp.”

ITEM NO. 8 SECTION 133419 METAL BUILDING SYSTEMS

A. Paragraph 2.1.A. Add the following:

“10. Canam Steel Building Corporation.”

B. Paragraph 2.5.A. Add the following:

“2. Other manufacturer’s roof panels may be considered if similar design and meeting specified wind-uplift resistance rating.”

C. Subparagraph 2.5.A.1. Fourth line. Delete “slips” and substitute “clips.”

D. Subparagraph 2.6.A.2. Add the following:

“d. Canam Steel Building Corporation; Reverse Roll R-Panel.

E. Paragraph 3.2.D. Add the following:

“2. Space panel clips and fasten through rigid-board insulation to metal roof deck according to specified wind-uplift resistance rating. Do not fasten clips to nail base insulation only.”

ITEM NO. 9 SPECIFICATION SECTION 238145 – WATER-SOURCE HEAT PUMPS

A. Add to paragraph 2.1.A. - MANUFACTURERS - the manufacturer Carrier.

ITEM NO. 10 SPECIFICATION SECTION 232510 – HVAC WATER TREATMENT

A. Add to subparagraph 2.1.A.1. – MANUFACTURERS, Propylene Glycol - the manufacturer Rhomar Water.

ITEM NO. 11 SPECIFICATION SECTION 230990 – HVAC INSTRUMENTATION AND CONTROLS

- A. Delete the following Direct Digital Control System Providers from subparagraph 2.1.A.1. MANUFACTURERS, Direct Digital Control System Providers:
 - 1. Control Management, Inc.
 - 2. Control Services, Inc.
 - 3. Trane Company (The).
 - 4. Siemens Building Technologies

- B. Add the following Direct Digital Control System Provider to subparagraph 2.1.A.1. – MANUFACTURERS, Direct Digital Control System Providers:
 - 1. Integrated Control.

ITEM NO. 12 SPECIFICATION SECTION 224040 – PLUMBING FIXTURES

- A. Change toilet seat in paragraph 3.8.5. – WATER CLOSET, Trim – from Church 9500SSC to American Standard 5001G.055, Commercial Toilet Seat for Baby Devoro Bowls.

ITEM NO. 13 SPECIFICATION SECTION 232110 – HYDRONIC PIPING

- A. Add the following manufacturer to paragraph 2.7.F. – SELF BALANCING HOSE KIT ASSEMBLIES, Manufacturers:
 - 1. PRO Hydronic Specialties, L.L.C.

END OF ADDENDUM